

NIH Communicators Forum, May 9 2005

Rethinking health campaign impact

John Finnegan
University of Minnesota
School of Public Health



- Challenge of exposure
 - Designing and delivering the right message to the right people in the right channels at the right time with sufficient power to cause desired outcome
- Challenge of measuring impact
 - Evaluating process and outcomes
 - Linking your input to an outcome



Sources of campaign failures

Theory failures
Intervention failures
Political failures
Measurement failures



- Wrong social-behavioral theory used to to understand problem factors and devise strategy
 - Poor understanding of audience
 - Poor messages



- Insufficiently powerful messages delivered with insufficient force for an insufficient time to create effect
 - Web of exposure
 - Channel synergy
 - "Noise"




Political failure

- Social and political environment, values, norms
 - Active opposition from decision-makers
 - Insufficient support from leaders
 - High conflict




- Evaluation design
- Traditional quasi-experimental approach
 - Pre-post, controlled (Intervention v. Reference)
- Problem of the secular trend
 - Change continuous, not constant, units not able to be isolated in classic design(s)
- "Degrees of freedom" problem
 - Units measured, frequency of measurement






Social Marketing cycle









- Planning: science and art
 - Formative research
 - Systems: community, media system, channels
 - Populations: etiology, prevalence, incidence, type of prevention available to address the problem; theory; audience social and behavioral factors related to the problem
 - Environment: values, norms, message appeal, frame, message elements

Maximizing exposure

- Planning: science and art
 - Process research
 - Did it reach targets?
 - With what power (reach and frequency)?
 - What intermediate effects?
 - Unintended effects?
 - Adjustments?



- Evaluation
 - New models needed
 - Assignment of more units; more measurements of units
 - Recognition of growth and complexity of media environment making "controls" difficult
 - Change in health variables occur often in long-term
 - Time series approaches to evaluation of communication campaigns
 - Efforts to link input to outcomes

Time series strategies

- Ideodynamic approach (D. Fan)
- Linking media content to opinion, behavioral changes longitudinally: InfoTrend™ software
- Based on:
 - Content analysis rules (human and computer)
 - Automated retrieval of content from databases
 - Conversion of content to "persuasive force"
 - Content used to predict opinion, behavior, other relevant outcomes




- Goal: Predict rise and fall of smoking within the past 30 days from 1991 to 2002 among US 8th, 10th & 12th graders
 - Funded by a grant from the NCI


- Content persuasive impact model
 - PriceCon: rise in cig prices
 - GetCon: difficulty of obtaining cigs
 - MediaPro: ideas favoring smoking
 - MediaCon: ideas against smoking
- Dependent variables
 - Smok30Day: Monitoring the Future annual data (ISR at the U of Michigan)

- N = 63,140 news stories
- N = 13, 430 Internet Use Groups postings (archived
- Relevant paragraphs retrieved and coded containing Pro and Con smoking content
- Differential equations applied to predict outcome of Smok30Day


Combined media and newsgroup paragraphs plotted daily




Combined media and newsgroup paragraphs plotted daily




Combined media and newsgroup paragraphs plotted daily





Combined media and newsgroup paragraphs plotted daily




are THE QUICKTIME TO AND A


QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.



"Cigs hard to get"




Cigarette Price Data



Monitoring the Future Data

"Smok30Days" prediction from persuasive content






- Media content (dark lines) plotted against Monitoring the Future Smok30Days (lines with symbols)
- Symbol width indicates survey period from about March 1 to May 31 at each measure
- Symbol height gives 95% confidence interval based on sample size

Monitoring the Future data

"Smok30Days" prediction from persuasive content



Results

- Over 12 years (1991-2002), persuasive force of media content both pro and con smoking significantly predicted youth smoking in the past 30 days
 - $-R^2 = 0.64$ (p < .005) 8th Graders
 - $-R^2 = 0.66$ (p < .005) 10th Graders
 - $-R^2 = 0.72$ (p < .005) 12th Graders

Results

- Combining persuasive media content AND policy environment
- Adding PriceCon and GetCon into the model increased the prediction
 - $-R^2 = 0.78$ (p < .005) 8th Graders
 - $-R^2 = 0.78$ (p < .005) 10th Graders
 - $-R^2 = 0.85 (p < .005) 12th Graders$



- Time series approaches measuring impact on health outcomes
 - Recognize media system ubiquity and complexity
 - Address secular trend composed of multiple information sources
 - Address weaknesses of "controlled" designs in community settings



- Time series approaches measuring impact on health outcomes
 - Maximizes use of available media content in very large amounts
 - Utilizes longitudinal analysis
 - Can be useful to campaign planners in shaping the information environment
 - Can permit inclusion of variables such as policy environment or degree of conflict



http://devel.ncrs.fs.fed.us/ma/default.asp?month=Apr%202005